# UNCLASSIFIED

AD 295 477

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.



# 295 477

Flight Data Report No. 5
Contract AF 33(616)-7633

BALLOON FLIGHTS OF APRIL 9 AND MAY 23, 1962

David G. Murcray James N. Brooks Jay O. Green Marie M. Working

Research Reported in This Document Has Been Supported by
Aeronautical Systems Division
Air Force Systems Command
United States Air Force

27 December 1962

- Submitted by -

Denver Research Institute University of Denver Denver 10, Colorado

# Flight Data Report No. 5 Contract AF 33(616)-7633

BALLOON FLIGHTS OF APRIL 9 AND MAY 23, 1962

David G. Murcray James N. Brooks Jay O. Green Marie M. Working

Research Reported in This Document Has Been Supported by
Aeronautical Systems Division
Air Force Systems Command
United States Air Force

27 December 1962

- Submitted by -

Denver Research Institute University of Denver Denver 10, Colorado

# TABLE OF CONTENTS

		Page
	ABSTRACT	vii
I.	INTRODUCTION	1
II.	INSTRUMENTATION	1
III.	FLIGHT DETAILS	1
IV.	RESULTS	2
v.	ERRATA	2

## LIST OF FIGURES

Figure No.		Page
1	IR Filter No. 1 IR Filter No. 2	4
2	IR Filter No. 3 IR Filter No. 4	5
3	UV Filter Nos. 1, 9 UV Filter Nos. 6, 10	6
4	UV Filter No. 7 UV Filter No. 8	7
5	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 4 7:05-7:15 M.S.T.	8
6	Distribution of IR dN/dθ with Elevation Filter No. 4 7:05-7:15 M.S.T.	10
7	Distribution of IR Radiance with Elevation Filter No. 3 7:15-7:25 M.S.T.	12
8	Distribution of IR dN/d0 with Elevation Variance of Radiance with Scattering Angle Filter No. 3 7:15-7:25 M.S.T.	14
. 9	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 2 7:25-7:35 M.S.T.	16
10	Distribution of IR dN/d0 with Elevation Filter No. 2 7:25-7:35 M.S.T.	18
11	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 1 7:35-7:40 M.S.T.	20
12	Distribution of IR dN/d0 with Elevation Filter No. 1 7:35-7:40 M.S.T.	22

# LIST OF FIGURES (Cont.)

Figure No.		Page
13	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 10 7:05-7:15 M.S.T.	24
14	Distribution of UV dN/d0 with Elevation Filter No. 10 7:05-7:15 M.S.T.	26
15	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 9 7:15-7:25 M.S.T.	28
16	Distribution of UV dN/d0 with Elevation Filter No. 9 7:15-7:25 M.S.T.	30
17	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 8 7:25-7:35 M.S.T.	32
18	Distribution of UV dN/d0 with Elevation Filter No. 8 7:25-7:35 M.S.T.	34
19	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 7 7:35-7:40 M.S.T.	36
20	Distribution of UV dN/d0 with Elevation Filter No. 7 7:35-7:40 M.S.T.	38
21	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 6 7:40-7:50 M.S.T.	40
22	Distribution of UV dN/d0 with Elevation Filter No. 6 7:40-7:50 M.S.T.	42
23	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 2 7:20-7:25 M.S.T.	44

# LIST OF FIGURES (Cont.)

Figure No.		Page
24	Distribution of IR dN/dθ with Elevation Filter No. 2 7:20-7:25 M.S.T.	46
25	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 1 7:25-7:35 M.S.T.	48
26	Distribution of IR dN/d0 with Elevation Filter No. 1 7:25-7:35 M.S.T.	50
27	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 4 7:45-7:50 M.S.T.	52
28	Distribution of IR dN/d0 with Elevation Filter No. 4 7:45-7:50 M.S.T.	54
29	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 3 7:50-8:00 M.S.T.	56
30	Distribution of IR dN/d0 with Elevation Filter No. 3 7:50-8:00 M.S.T.	58
31	Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 2 8:00-8:05 M.S.T.	60
32	Distribution of IR dN/d0 with Elevation Filter No. 2 8:00-8:05 M.S.T.	62
33	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 1 7:20-7:25 M.S.T.	64
34	Distribution of UV dN/d0 with Elevation Filter No. 1 7:20-7:25 M.S.T.	66
35	Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 10 7:45-7:50 M.S.T.	68

# LIST OF FIGURES (Cont.)

Figure No.		Page
36	Distribution of UV dN/d0 with Elevation	
	Filter No. 10 7:45-7:50 M.S.T.	70
37	Distribution of UV Radiance with Elevation	
	Variance of Radiance with Scattering Angle	
	Filter No. 9 7:50-8:00 M.S.T.	72
38	Distribution of UV dN/d0 with Elevation	
	Filter No. 9 7:50-8:00 M.S.T.	74
<b>3</b> 9	Distribution of UV Radiance with Elevation	
	Variance of Radiance with Scattering Angle	
	Filter No. 8 8:00-8:05 M.S.T.	76
40	Distribution of UV dN/d0 with Elevation	
	Filter No. 8 8:00-8:05 M.S.T.	78

### ABSTRACT

This report presents the results obtained on balloon flights made with an automatic programmed radiometer system. The equipment was launched from Holloman AFB, New Mexico, April 9 and May 23, 1962. The radiometer was equipped with a liquid oxygen cooled In Sb cell as a detector and measurements were made of the infrared background radiation from 1.8  $\mu$  to 5.0  $\mu.$ 

### I. INTRODUCTION

This is one of a continuing series of flight data reports issued on contract AF 33(616)-7633. These reports present infrared and ultraviolet background radiation data obtained by means of a balloon-borne automatic programmed radiometer system. The results contained in this report were obtained during balloon flights made from Holloman Air Force Base, New Mexico, April 9 and May 23, 1962.

### II. INSTRUMENTATION

The instrumentation has been described in detail in previous flight data reports and the description will not be repeated here. The radiometer scanning motion used on these flights was the same as that used on the March 21 flight and is described in flight data report number 4. In order to keep the report self-contained, filter transmission curves for the filters used in the radiometer are given in figures 1 through 4. The detector used on the infrared channel was a liquid oxygen-cooled In Sb cell and that for the ultraviolet was a quartz window Dumont photomultiplier tube.

The method of calibration of the instrumentation is described in detail in flight data report number 4.

## III. FLIGHT DETAILS

The April 9 flight was launched at 0544 M.S.T. The balloon ascended with an average ascent rate of 200 meters/min and reached a floating altitude of 31 kilometers. The winds at all altitudes were from the west and the balloon drifted to the east. The balloon was cut down at 1900 M.S.T. and impacted in the vicinity of Lovington, New Mexico.

Cloud cover in the Alamogordo area at the time of launch consisted of 5/10 high cirrus. This increased during the early morning to 7/10 to 8/10 high cirrus. All weather stations in the region scanned by the radiometer system during the flight reported 6/10 to 8/10 high cirrus.

No data are available on the height of the cirrus other than that the majority of the clouds were estimated to be higher than 10 kms. As the balloon ascended after launch it was observed to enter a cirrus cloud of sufficient thickness to obscure it from view at the time that the radar tracking gave its elevation as 12.5 kilometers.

The May 23 flight was launched at 0600 M.S.T. and ascended with an average ascent rate of 200 meters/min and also reached a floating altitude of 31 kilometers. The winds at the lower altitudes were from 240° and the balloon moved out on a heading of 60° until it reached an altitude of 28 km when it turned North. At this time it was 80 kms out from Holloman and most of the data were taken when the balloon was over the eastern slope of the Sacramento Mountains. The equipment was cut down at 1100 M.S.T. and impacted near Three Rivers, New Mexico.

All weather stations in the area scanned by the radiometer system during the flight reported less than 1/10 cloud cover.

### IV. RESULTS

All equipment operated properly on the April 9 flight until 0750 M.S.T. At this time a transistor in the analog to digital converter failed, and no further data were obtained.

On the May 23 flight everything operated properly until 0805 M.S.T. when the motor which drives the front mirror of the radiometer system failed. At the time the motor stopped the mirror was in a position where the radiometer was scanning above the horizon, and no further useful data were obtained.

The results obtained on the April 9 flight are given in figures 5 through 22. As mentioned above, these data were obtained with the radiometer system scanning a region covered with 7/10 to 8/10 high cirrus clouds.

The data obtained on the May 23 flight are given in figures 23 through 40. The weather in the region scanned by the radiometer while these data were taken was characterized by clear skies.

As before, the data are presented in the form of cumulative probability distribution curves for the radiance, the gradient of the radiance and the number of occurrences of equivalent point sources of various intensities. The gradient was determined by dividing the absolute value of the difference of successive values of the radiance by the angular separation between the directions in which the radiances were observed. The occurrence of equivalent point sources was determined by comparing three successive values of the radiance. Thus, if the three radiance values are denoted by  $N_1,\ N_2,\ N_3$ , the difference  $N_2$  -  $N_1$  is compared to  $N_2$  -  $N_3$  and a point source of intensity proportional to


 $N_2$  -  $N_1$  is taken to have occurred if  $N_2$  -  $N_3$  is at least 80% of  $N_2$  -  $N_1$ . The frequency of occurrence of point sources is so small that the number of occurrences is given rather than percentages. These numbers are placed on the gradient plots above the corresponding levels. In order to convert the gradient scales to watts/cm² at the aperture of the radiometer system for the point source data, the scales should be multiplied by 1.25 x  $10^{-7}$  steradian degree for the infrared channel and by 2.2 x  $10^{-6}$  steradian degree for the ultraviolet channel.

In addition to the above plots, the data taken during an azimuth scan were also sorted according to scattering angle. The median value of the radiances observed at a given scattering angle was determined and these median values are plotted against scattering angle. These plots are included with the other data for each filter. It should be pointed out that, because of the scattering angle geometry and the method of scanning, the number of observations at a given scattering angle may vary by an order of magnitude from the number at a different scattering angle. Because of the small number of points occurring at certain scattering angles, these plots show details that will not be observed on the radiance distribution curves.

#### V. ERRATA

Flight data report number 4 contained a number of errors which were not detected before the report was issued. Rather than issuing errata sheets which cannot be bound into the report and hence can easily be lost, these errata are listed below. It is hoped that recipients of this report will take time enough to make the appropriate corrections on the earlier reports. The following errors have been noted to data in flight data report number 4:


- Page 10 Figure 4 Caption should read UV Filter Nos. 6, 10
- Page 11 Figure 5 Caption should read UV Filter No. 4
- Page 28, 29 Figure 14 All abscissa scales are 1.3μ watts/cm<sup>2</sup> steradian too high, i.e. scale should read -1.3, -.3, .7, 1.7, etc.
- Page 32, 33 Figure 16 Same as above
- Page 36, 37 Figure 18 Same as above
- Page 64, 65 Figure 32 All abscissa scales are in error by factor 100. Radiation range should be .15, .30, .45, .60 m watts/cm<sup>2</sup> steradian.



IR Filter No. 1

IR Filter No. 2


Figure 1



IR Filter No. 3

IR Filter No. 4

Figure 2



UV Filter Nos. 1, 9





Figure 3


N80 WAVELENGTH (millimicron)


UV Filter No. 7



UV Filter No. 8

Figure 4





Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 4 7:05-7:15 M.S.T. Altitude 23.8 km

Figure 5





Figure 5 (cont.)

60 80 100 120 SCATTERING ANGLE (DEGREES) 

Distribution of IR dN/d0 with Elevation Filter No. 4 7:05-7:15 M.S.T. Altitude 23.8 km

Figure 6






Figure 6 (cont.)





Distribution of IR Radiance with Elevation Filter No. 3 7:15-7:25 M.S.T. Altitude 26.2 km

Figure 7






Figure 7 (cont.)





Distribution of IR dN/d0 with Elevation Variance of Radiance with Scattering Angle Filter No. 3 7:15-7:25 M.S.T. Altitude 26.2 km

Figure 8





Figure 8 (cont.)



Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 2 7:25-7:35 M.S.T. Altitude 28.7 km

Figure 9






Figure 9 (cont.)



Distribution of IR dN/d0 with Elevation Filter No. 2 7:25-7:35 M.S.T.
Altitude 28.7 km

Figure 10









Figure 10 (cont.)





Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 1 7:35-7:40 M.S.T. Altitude 31.1 km

Figure 11









Figure 11 (cont.)





Distribution of IR dN/d0 with Elevation Filter No. 1 7:35-7:40 M.S.T. Altitude 31.1 km

Figure 12







Figure 12 (cont.)



Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 10 7:05-7:15 M.S.T. Altitude 23.8 km

30

20

10

0

0.10

0.20

RADIATION RANGE MW/(CM2 STERADIAN)

TOTAL POINTS 978

0.30

0.40

Figure 13

30


20

10

0

0.10 0.20 0.30 0.40 RADIATION RANGE MW/(CM<sup>2</sup> STERADIAN)

TOTAL POINTS 981








Figure 13 (cont.)



Distribution of UV dN/d0 with Elevation Filter No. 10 7:05-7:15 M.S.T. Altitude 23.8 km

Figure 14









Figure 14 (cont.)





Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 9 7:15-7:25 M.S.T. Altitude 26.2 km

Figure 15








Figure 15 (cont.)





Distribution of UV dN/d0 with Elevation Filter No. 9 7:15-7:25 M.S.T. Altitude 26.2 km

Figure 16






Figure 16 (cont.)



Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 8 7:25-7:35 M.S.T. Altitude 28.7 km

Figure 17








Figure 17 (cont.)



Distribution of UV dN/d0 with Elevation Filter No. 8 7:25-7:35 M.S.T.

Altitude 28.7 km

Figure 18









Figure 18 (cont.)





Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 7 7:35-7:40 M.S.T. Altitude 31.1 km

Figure 19









Figure 19 (cont.)





Distribution of UV dN/d0 with Elevation Filter No. 7 7:35-7:40 M.S.T.
Altitude 31.1 km

Figure 20








Figure 20 (cont.)





Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 6 7:40-7:50 M.S.T. Altitude 31.1 km

Figure 21






Figure 21 (cont.)



Distribution of UV dN/d0 with Elevation Filter No. 6 7:40-7:50 M.S.T. Altitude 31.1 km

Figure 22








Figure 22 (cont.)



Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 2 7:20-7:25 M.S.T. Altitude 22.4 km

Figure 23







Figure 23 (cont.)

100-

90



100-

90


-58°

-73°

Distribution of IR dN/d0 with Elevation Filter No. 2 7:20-7:25 M.S.T.

Altitude 22.4 km

Figure 24









Figure 24 (cont.)





Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 1 7:25-7:35 M.S.T. Altitude 23.7 km

Figure 25








Figure 25 (cont.)






Distribution of IR dN/d0 with Elevation Filter No. 1 7:25-7:35 M.S.T.

Altitude 23.7 km

Figure 26









Figure 26 (cont.)





Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 4 7:45-7:50 M.S.T. Altitude 28.3 km

Figure 27









Figure 27 (cont.)





Distribution of IR dN/d0 with Elevation Filter No. 4 7:45-7:50 M.S.T. Altitude 28.3 km

Figure 28







Figure 28 (cont.)



Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 3 7:50-8:00 M.S.T. Altitude 31.1 km

Figure 29





Figure 29 (cont.)



Distribution of IR dN/d0 with Elevation Filter No. 3 7:50-8:00 M.S.T. Altitude 31.1 km

Figure 30

100--10• 80-70 PERCENTAGE -172 30-20 10-0 10.0 20.0 30.0 40.0 dN/de-MW/(CM2-STERADIAN-DEGREE) TOTAL POINTS 5936







Figure 30 (cont.)





Distribution of IR Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 2 8:00-8:05 M.S.T. Altitude 31.1 km

Figure 31









Figure 31 (cont.)





Distribution of IR dN/d0 with Elevation Filter No. 2 8:00-8:05 M.S.T. Altitude 31.1 km

Figure 32








Figure 32 (cont.)



Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 1 7:20-7:25 M.S.T. Altitude 22.4 km

Figure 33







Figure 33 (cont.)



Distribution of UV dN/d0 with Elevation Filter No. 1 7:20-7:25 M.S.T. Altitude 22.4 km

Figure 34







Figure 34 (cont.)





Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 10 7:45-7:50 M.S.T. Altitude 28.3 km

Figure 35









Figure 35 (cont.)





Distribution of UV dN/d0 with Elevation Filter No. 10 7:45-7:50 M.S.T. Altitude 28.3 km

Figure 36







Figure 36 (cont.)



Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 9 7:50-8:00 M.S.T. Altitude 31.1 km

Figure 37






Figure 37 (cont.)



Distribution of UV dN/d0 with Elevation Filter No. 9 7:50-8:00 M.S.T. Altitude 31.1 km

Figure 38








Figure 38 (cont.)





Distribution of UV Radiance with Elevation Variance of Radiance with Scattering Angle Filter No. 8 8:00-8:05 M.S.T. Altitude 31.1 km

Figure 39






Figure 39 (cont.)






Distribution of UV dN/d0 with Elevation Filter No. 8 8:00-8:05 M.S.T.

Altitude 31.1 km

Figure 40






Figure 40 (cont.)

## DISTRIBUTION LIST

Copies	Recipient
1	ARPA Washington 25, D. C. Attn: R. Zirkind
1	Diamond Ordnance Fuze Laboratory Connecticut and Vanesse Washington 25, D. C. Attn: C. Ravtiski
1	US Naval Ordnance Laboratory White Oak, Maryland Attn: W. Talbert
1	Ohic State University Department of Physics Columbus, Ohio Attn: Ely Bell
1	Laboratories for Applied Sciences University of Chicago Chicago 37, Illinois Attn: L. M. Biberman
1	Bendix Systems Dirision 3300 Phymouth Road Ann Arbon, Michigan Attn: D. Lowe
1	General Dynamics Corporation Astronautics Division San Diego 12, California Attn: F. Michael
1	Hughes Aircraft Company Florence and Teale Streets Culver City, California Attn: W. Craven
1	Raytheon P. O. Box 636 Santa Barbara, California

#### DISTRIBUTION LIST (Cont.)

### Copies Recipient 1 Chief Superintendent CARDE P. O. Box 1427 Quebec, Canada Attn: Dr. Cumming 1 Space Technology Laboratories, Inc. Space Park Redondo Beach, California Attn: A. Fulton 1 Lockheed Aircraft Company Missiles and Space Division 1122 Jaegles Road Sunnyvale, California Attn: J. J. Knopow 1 Westinghouse Electric Corporation Air Arm Division P. O. Box 746 Friendship International Airport Baltimore, Maryland Attn: Librarian 1 Autonetics Division of North American Aviation 9150 East Imperial Highway Downey, California Attn: Ken Gow 10 **ASTIA** Arlington Hall Station Arlingtor 12, Virginia Attn: TIC (Mr. Rehbock) 1 AF Cambridge Research Laboratory (CRZC) L. G. Hanscom Field Bedford, Massachusetts Air Proving Ground Command (PGVEP) 1

Eglan AFB, Florida

DENVER RESEARCH INSTITUTE - UNIVERSITY OF DENVER

# DISTRIBUTION LIST (Cont.)

Copies	Recipient
2	ASD (ASRNRS) Wright-Patterson AFB, Ohio
1	ASD (ASRNGE) Wright-Patterson AFB, Ohio
2	US Naval Ordnance Test Station (Code 4001) China Lake, California
2	SSD (SSTRS) AF Unit Post Office Los Angeles 45, California
1	SSD (SSZMP) AF Unit Post Office Los Angeles 45, California
1	SSD (SSTRG) AF Unit Post Office Los Angeles 45, California
1	BSD (BSRVF) Norton AFB, California
1	Aerojet General Corporation 6352 N. Irwindale Avenue Azusa, California Attn: C. Dunning
1	Aeronutronic Systems, Inc. A Division of Ford Motor Company Ford Road Newport Beach, California Attn: G. N. Plass
1	Baird-Atomic, Inc. 33 University Road Cambridge, Massachusetts Attn: W. Elliott

## DISTRIBUTION LIST (Cont.)

Copies	Recipient
3	Aerospace Corporation 2400 E. El Segundo El Segundo, California Attn: Wessley, Rawcliffe, Statsinger
2	Rand Corporation 1700 Main Santa Monica, California Attn: R. Gelinas and S. Passman
1	University of Michigan Institute of Science and Technology P. O. Box 618 Ann Arbor, Michigan
3 plus 1 repro	
1	Boeing Airplane Company Aero-Space Division P. O. Box 3707 Seattle 24, Washington Attn: R. McDonald
1	Pacific Infrared Systems Company 18523 Ventura Boulevard Tarzana, California